Su	pplemental
Notice	of Allowability

Application No.	Applicant(s)	
10/676,195	FIKES ET AL.	
Examiner	Art Unit	
TRI V. NGUYEN	1796	

	TRI V. NGUYEN	1796	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm GHTS. This application is and MPEP 1308.	in this application. If not includ nunication will be mailed in due subject to withdrawal from issu	led course. THIS
2. ☑ The allowed claim(s) is/are <u>2-5,8-15,17-28 and 30</u> .			
3.	been received. been received in Application and the communication to fill ENT of this application. Itted. Note the attached EX is reason(s) why the oath of the submitted. The communication to fill the communication to fill the communication to fill extend the communication the communication to fill extend the communication the commu	on No ed in this national stage applicated in this national stage applicated in the research of the stage applicated in the research of the stage application is deficient.	equirements
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.	84(c)) should be written on	the drawings in the front (not th	e back) of
each sheet. Replacement sheet(s) should be labeled as such in the first of the deposit of and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT is	sit of BIOLOGICAL MAT	ERIAL must be submitted.	Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview S Paper No 7. ⊠ Examiner's	nformal Patent Application Summary (PTO-413), ./Mail Date <u>200908007</u> . s Amendment/Comment s Statement of Reasons for All	owance

Application/Control Number: 10/676,195 Page 2

Art Unit: 1796

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Pokotylo on 08/03/2009.

2. The application has been amended as follows:

2.1. In the specification, page 11, lines 25-26: replace "Serial No. _____" with -- Serial No. 10/675,756" --.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TRI V. NGUYEN whose telephone number is (571)272-6965. The examiner can normally be reached on M-F 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on (571) 272-1119 and Eric Stamber can be reached on (571) 272-6724. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/676,195 Page 3

Art Unit: 1796

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/T. V. N./ Examiner, Art Unit 1796 September 3, 2009

/Eric W. Stamber/ Supervisory Patent Examiner, Art Unit 3622